

ERRATA

Revised Table 1 for paper IV: Social demographic characteristics of the study participants.

Variable	Patients from poor households: n (%)	Patients from less poor households; n (%)
Gender		
Female	15 (71.4)	37 (54.4)
Male	6 (28.6)	31 (45.6)
Marital status		
Couples	15 (71.4)	42 (61.8)
Non couples	6 (28.6)	26 (38.2)
Age group		
15 to 54 years	20 (95.2)	62 (91.2)
Above 54 years	1 (4.8)	6 (8.8)
Education Level		
Not completed STD 7	21 (100)	67 (98.5)
Completed STD 7 and above	0	1 (1.5)
Occupation		
Employed	4 (19.0)	12 (19.4)
Self employed	15 (71.4)	48 (77.4)
No income generating activity	1 (4.8)	1 (1.6)
Students	1 (4.8)	1 (1.6)
Patient working history		
Stop working	9 (42.9)	27 (40.3)
Still working	12 (23.1)	40 (59.7)
Patients loss of income		
There is loss of income	12 (57.1)	42 (62.7)
No loss of income	9 (42.9)	25 (37.3)
Relationship with head of household		
Head of the household	13 (61.9)	34 (50.)
Spouse/child/relative to the head	8 (38.1)	34 (50.)
Suspected in the first visit		
Yes	7 (36.8)	28 (41.8)
No	12 (63.2)	39 (58.2)

