

APPENDIX

Appendix I

SF-12 Perceived mental and physical health by employment status adjusted for hierarchical blocks of confounders

Blockwise adjustments	Perceived Mental Health			
	Employed	All disability benefits combined	Sickness absence and rehab. only	Disability Pension only
A. Gender	0.0 (ref)	-5.9 (-6.4, -5.5)	-5.6 (-2.5, -1.0)	-6.3 (-7.1, -5.6)
B. A + Somatic Conditions	0.0 (ref)	-5.8 (-6.4, -5.4)	-5.6 (-6.2, -5.0)	-6.2 (-6.2, -5.0)
C. B + Mental health	0.0 (ref)	-2.6 (-3.0, -2.2)	-2.8 (-3.3, -2.3)	-2.3 (-2.9, -1.7)
D. C + Somatic symptoms	0.0 (ref)	-2.3 (-2.7, -1.9)	-2.5 (-3.0, -2.0)	-1.9 (-2.5, -1.3)
E. D + Socio-demographics/ Fully adjusted model	0.0 (ref)	-2.3 (-2.7, -1.9)	-2.5 (-3.0, -2.0)	-1.9 (-2.5, -1.3)

Blockwise adjustments	Perceived Physical Health			
	Employed	All disability benefits combined	Sickness absence and rehab. only	Disability Pension only
A. Gender	0.0 (ref)	-13.0 (-13.5, -12.6)	-12.4 (-13.0, -11.9)	-14.0 (-14.7, -13.4)
B. A + Somatic Conditions	0.0 (ref)	-12.5 (-12.9, -12.0)	-12.1 (-12.6, -11.6)	-13.0 (-13.7, -12.4)
C. B + Mental health	0.0 (ref)	-11.9 (-12.3, -11.5)	-11.7 (-12.2, -11.2)	-12.4 (-13.0, -11.7)
D. C + Somatic symptoms	0.0 (ref)	-8.6 (-9.0, -8.2)	-8.5 (-8.9, -8.0)	-8.8 (-9.3, -8.2)
E. D + Socio-demographics/ Fully adjusted model	0.0 (ref)	-8.5 (-8.8, -8.1)	-8.4 (-8.8, -8.0)	-8.6 (-9.2, -8.0)

Table adapted from the paper:

Mykletun A, Øverland S. Er nedsatt funksjonsevne blant uføretrygdde alltid en konsekvens av medisinske diagnoser og symptomer? *Tidsskrift for Velferdsforskning*, 2007; 10(1), 39-45

Appendix II

The Hordaland Health Study questionnaire can be retrieved by following these URLs:

Invitation and questionnaire 1:

http://www.uib.no/isf/husk/Skjema/Skjema1_bokmal_97-99_secure.pdf

Questionnaire 2 males, version a):

http://www.uib.no/isf/husk/Skjema/Menn1_bokmal_97-99_secure.pdf

Questionnaire 2 males, version b):

http://www.uib.no/isf/husk/Skjema/Menn2_bokmal_97-99_secure.pdf

Questionnaire 2 females, version a):

http://www.uib.no/isf/husk/Skjema/Kvinner1_bokmal_97-99_secure.pdf

Questionnaire 2 males, version b):

http://www.uib.no/isf/husk/Skjema/Kvinner2_bokmal_97-99_secure.pdf

The Nord-Trøndelag Health Study questionnaire can be retrieved following these URLs:

Invitation and questionnaire 1:

http://www.hunt.ntnu.no/dokumenter/sporreskjema/HUNT2_Skjema1.pdf

Questionnaire 2, females:

http://www.hunt.ntnu.no/dokumenter/sporreskjema/HUNT2_Skjema2_Kvinner_20-69_aar.pdf

Questionnaire 2, males:

http://www.hunt.ntnu.no/dokumenter/sporreskjema/HUNT2_Skjema2_Menn_20-69_aar.pdf

